EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	121	(spam or junk) near5 (threshold or rating or score) and (@ad<="20040312" or @pd<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/09 10:55
S4	66	(spam or junk) near5 (likeliness or likelihood) and (@ad<="20040312" or @pd<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/11 13:08
3 5	1	10/799992	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/15 16:38
3 6	67	(spam or junk) and action near10 (verifi\$6 or confirm\$6) and (@ad<="20040312" or @pd<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 13:54
57	35	(spam or junk) and (user near10 action near10 (verifi\$6 or confirm \$6)) and (@ad<="20040312" or @pd<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 14:25
3 8	751	(user near5 action near5 (verifi \$6 or confirm\$6)) and (@ad<="20040312" or @pd<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 14:39
39	270	(user near5 action near5 (verifi \$6 or confirm\$6)) and e\$mail and (@ad<="20040312" or @pd<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 14:39
S10	97	(user near5 action near5 (verifi \$6 or confirm\$6)) and "709". clas. and (@ad<="20040312" or @pd<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 14:42

S11	46	(user near5 (request and action) near5 (verifi\$6 or confirm\$6)) and e\$mail and (@ad<="20040312" or @pd<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 15:16
S12	14	(user near5 request near5 action near5 (verifi\$6 or confirm\$6)) and e\$mail and (@ad<="20040312" or @pd<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 15:20
S14	1	e\$mail and prevent\$5 near5 accident\$5 near5 request and (@ad<="20040312" or @pd<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 15:27
S15	4	e\$mail and prevent\$5 near10 accident\$5 near10 request and (@ad<="20040312" or @pd<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 15:28
S16	242	(request or action) near5 (verifi \$6 or confirm\$6) near5 e\$mail and (@ad<="20040312" or @pd<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 15:29
S17	63	user near5 (request or action) near5 (verifi\$6 or confirm\$6) near5 e\$mail and (@ad<="20040312" or @pd<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/16 15:30
S18	1105	(("5377354") or ("5619648") or ("5638487") or ("5704017") or ("5805801") or ("5835087") or ("5884033") or ("5905859") or ("6003027") or ("6052709") or ("6047242") or ("6101531") or ("6112227") or ("6161130") or ("6167434") or ("6192360") or ("6199102") or ("63266692") or ("6308273") or ("6327617") or ("6330590") or ("6327617") or ("6393465") or ("6421709") or ("6424997") or ("6484600") or ("6453327") or ("6484261") or ("6505250") or ("659643460") or ("6592627") or ("6615242") or ("6592627") or ("6615242") or ("66633855") or ("6643686") or	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/17 09:06

	("6684201") or ("6691156") or					
	("6701440") or ("6728690") or			***************************************		
	("6732149") or ("6732157") or					
	("6732273") or ("6742047") or		•			
	("6748422") or ("6751348") or					
	("6757830") or ("6768991") or			-		
	("6775704") or ("6779021") or		•			
	("6842773") or ("6915334") or					
	("6928465") or ("6971023") or					
	("7003555") or ("7051077") or					
	("7117358") or ("7155484") or					
	("7219148") or ("7263607") or					
	("9497992") or ("9893941") or			-		
	("9967731") or ("10180565") or					
	("10208150") or ("10278591") or		•			
	("10291260") or ("2002199095")					
	or ("2003054764") or					
	("2003088627") or					
	("2003204569") or					
	· · · · · · · · · · · · · · · · · · ·					
	("20010046307") or					
	("20020016956") or					
	("20020059425") or					
	("20020073157") or					
	("20020091738") or					
	("20020184315") or					
	("20020199095") or					
	("20030009698") or					
	("20030016872") or					
	("20030037074") or					
	("20030041126") or					
	("20030088627") or					
	8.					
	("20030149733") or					
	("20030167311") or					
	("20030191969") or					
	("20030204569") or					
	("20030229672") or					
	("20030320054") or					
	("20040003283") or					
	("20040015554") or					
	("20040054887") or					
	("20040073617") or					
	("20040083270") or					
	("20040093371") or					
1111	("20040139160") or					
	("20040139165") or					
	("20040148330") or					
	("20040177120") or					
	("20040199585") or					
	("20040199594") or					
11111	("20040210640") or					
	("20040255122") or					
	3.					
	("20050015455") or					
1	("20050060643") or					
	("20050076084") or					
	("20050081059") or					
1	("20050091321") or					
1	("20050114452") or					
1	("20050120019") or					
	("20050160148") or					
. 2	2	•	i .	. 2	, :1	

		("20050165895") or ("20060036701")).PN.				
S19	5	"6507734"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/24 15:48
S20	1	audible near10 confirmation near10 head\$set and (@ad<="20040312" or @pd<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/24 16:16
\$21	53	confirm\$5 (signal or sound or sign) and head\$set and (@ad<="20040312" or @pd<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/24 16:18
S22	716	sound near5 confirmation and (@ad<="20040312" or @pd<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/24 16:32
\$23	15	sound near5 confirmation and head\$set and (@ad<="20040312" or @pd<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/24 16:32
\$24	93	sound near5 confirmation and (initiate or initialization) and (@ad<="20040312" or @pd<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/24 17:36
\$25	0	sound near5 confirmation near10 (initiate or initialization) and (@ad<="20040312" or @pd<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/24 17:36
\$26	10	sound near5 confirmation same (initiate or initialization) and (@ad<="20040312" or @pd<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/24 17:36

\$27	1	bluetooth and pairing and (sound or audible or beep) near20 confirmation and (@ad<="20040312" or @pd<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/25 15:42
\$2 8	15	pairing and (sound or audible or beep) near20 confirmation and (@ad<="20040312" or @pd<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/25 15:46
\$29	436	wireless and (sound or audible or beep) near20 confirmation and (@ad<="20040312" or @pd<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/25 15:50
S3 0	75	bluetooth and (sound or audible or beep) near20 confirmation and (@ad<= "20040312" or @pd<= "20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/25 15:51
S31	142	(wireless or bluetooth) near10 connection and (sound or audible or beep) near20 confirmation and (@ad<="20040312" or @pd<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/25 16:15
S32	76	mobile (unit or device) and (sound or audible or beep) near20 confirmation and (@ad<="20040312" or @pd<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/25 16:20
S 33	1714	signal strength and mobile (unit or device) and configur\$6 and (@ad<="20040315" and @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 16:07
S34	0	signal strength and mobile (unit or device) and configur\$6 and (@ad<="20040315" and @pd<="20040315") and ("709" or "455" or "370").ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 16:07
\$35	1242	signal strength and mobile (unit or device) and configur\$6 and (@ad<="20040315" and @pd<="20040315") and ("709" or "455" or "370").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 16:08

S36	950	signal strength and mobile (unit or device) and configur\$6 and wireless and (@ad<="20040315" and @pd<="20040315") and ("709" or "455" or "370").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 16:08
\$37	3395	configur\$6 and head\$set and (@ad<="20040315" and @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 16:09
338	867	configur\$6 and head\$set and (@ad<="20040315" and @pd<="20040315") and ("709" or "455" or "370").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 16:13
S 39	178	signal strength near10 threshold and mobile (unit or device) and configur\$6 and wireless and (@ad<="20040315" and @pd<="20040315") and ("709" or "455" or "370").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 16:36
S40	15	signal strength near10 threshold near10 configur\$6 and mobile (unit or device) and wireless and (@ad<="20040315" and @pd<="20040315") and ("709" or "455" or "370").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 16:57
S41	15	signal strength near10 (threshold or predetermine value) near10 configur\$6 and mobile (unit or device) and wireless and (@ad<="20040315" and @pd<="20040315") and ("709" or "455" or "370").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 17:08
S42	15	signal strength near10 (threshold or predetermined value) near10 configur\$6 and mobile (unit or device) and wireless and (@ad<="20040315" and @pd<="20040315") and ("709" or "455" or "370").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 17:08
S43	180	signal strength near10 (threshold or predetermined value) and configur\$6 and mobile (unit or device) and wireless and (@ad<="20040315" and @pd<="20040315") and ("709" or "455" or "370").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 17:09

S44	20	signal strength near10 (threshold or predetermined value) same configur\$6 and mobile (unit or device) and wireless and (@ad<="20040315" and @pd<="20040315") and ("709" or "455" or "370").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 17:09
S45	26	signal strength near10 (threshold or predetermined value) same configur\$6 and mobile (unit or device) and (@ad<="20040315" and @pd<="20040315") and ("709" or "455" or "370").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 17:13
S46	381	signal strength near10 (threshold or predetermined value) and mobile (unit or device) and (@ad<="20040315") and @pd<="20040315") and ("709" or "455" or "370").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 17:23
S47	244	signal strength near10 (threshold or predetermined value) and mobile (unit or device) and wireless and (@ad<="20040315" and @pd<="20040315") and ("709" or "455" or "370").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 17:34
S48	16	signal strength near10 (threshold or predetermined value) and mobile (unit or device) and blue\$tooth and (@ad<="20040315" and @pd<="20040315") and ("709" or "455" or "370").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 17:36
S49	0	signal strength near10 (threshold or predetermined value) and two (mobile or wireless) (unit or device) and blue\$tooth and (@ad<="20040315" and @pd<="20040315") and ("709" or "455" or "370").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 17:41
\$50	6	signal strength near10 (threshold or predetermined value) and two (mobile or wireless) (unit or device) and (@ad<="20040315" and @pd<="20040315") and ("709" or "455" or "370").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 17:42

S51	116	signal strength near10 (threshold or predetermined value) same (mobile or wireless) (unit or device) and (@ad<="20040315" and @pd<="20040315") and ("709" or "455" or "370").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 17:47
S52	1	signal strength near10 (threshold or predetermined value) same (mobile or wireless) (unit or device) and blue\$tooth and (@ad<="20040315" and ("709" or "455" or "370").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 17:49
\$53	143	signal strength near10 (threshold or predetermined value) same (mobile or wireless) (unit or device) and (@ad<="20040315" and @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 17:51
S54	505	signal strength near10 (threshold or predetermined value) and (mobile or wireless) (unit or device) and (@ad<="20040315" and @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 17:54
S55	27	signal strength near10 (threshold or predetermined value) and (mobile or wireless) (unit or device) and blue\$tooth and (@ad<="20040315" and @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 17:54
S56	254	signal strength near10 (threshold or predetermined value) and (hand\$set or head \$set) and (@ad<="20040315" and @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 17:57
S57	19	signal strength near10 (threshold or predetermined value) and (hand\$set or head \$set) and blue\$tooth and (@ad<="20040315" and @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 17:57
S58	21	signal strength near10 (threshold or predetermined value) and (hand\$set or head \$set) and secure and (@ad<="20040315" and @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 17:59

S59	103	signal strength near10 (threshold or predetermined value) and (mobile or wireless) (unit or device) and secur\$5 and (@ad<="20040315" and @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 18:00
S60	505	signal strength near10 (threshold or predetermined value) and (mobile or wireless) (unit or device) and (@ad<="20040315" and @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 18:29
S61	530	signal strength near20 (threshold or predetermined value) and (mobile or wireless) (unit or device) and (@ad<="20040315" and @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/27 18:32
S62	355	rssi and mobile (unit or device) and configur\$6 and (@ad<="20040315" and @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/28 17:05
S63	493	rssi and (threshold or predetermined) and mobile (unit or device) and (@ad<="20040315" and @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/28 17:08
S64	176	rssi near10 (threshold or predetermined) and mobile (unit or device) and (@ad<="20040315" and @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/28 17:09
S65	64	rssi near10 (threshold or predetermined) and mobile (unit or device) and (@ad<="20040315" and @pd<="20040315") and low power	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/28 17:12
S66	54	rssi near10 (threshold or predetermined) and mobile (unit or device) and secur\$5 and (@ad<="20040315" and @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/28 17:19
S67	7	rssi near10 (threshold or predetermined) and mobile (unit or device) and bluetooth and (@ad<="20040315" and @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/28 17:27

S68	18	rssi near10 (threshold or predetermined) and mobile (unit or device) near10 configure\$5 and (@ad<= "20040315" and @pd<= "20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/28 17:30
S69	20	(rssi or signal strength) near10 authenticat\$5 and mobile (unit or device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 09:24
S70	1	(rssi or signal strength) near10 authenticat\$5 and mobile (unit or device) and @ad="20040315"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 09:25
S71	6	(rssi or signal strength) near10 authenticat\$5 and mobile (unit or device) and @ad<="20040315"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 09:25
S72	6	(rssi or signal strength) near10 authenticat\$5 and mobile (unit or device) and (@ad<="20040315" or @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 09:26
S73	46	rssi near10 (threshold or predetermined) and mobile (unit or device) near10 configure\$5 and (@ad<="20040315" or @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 09:28
S74	88	(rssi or signal strength) near10 (threshold or predetermined) and mobile (unit or device) near10 configure\$5 and (@ad<="20040315" or @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 09:28
S75	1018	(rssi or signal strength) near10 (threshold or predetermined) and mobile (unit or device) and (@ad<="20040315" or @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 09:43
S76	680	(rssi or signal strength) near10 (threshold or predetermined) and mobile (unit or device) and (@ad<="20040315" or @pd<="20040315") and (connection or authenticat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 09:44

S77	523	(rssi or signal strength) near10 (threshold or predetermined) and mobile (unit or device) and (@ad<="20040315" or @pd<="20040315") and (connection or authenticat\$5) and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 09:45
S78	176	(rssi or signal strength) near10 (threshold or predetermined) and mobile (unit or device) and (@ad<="20040315") or @pd<="20040315") and (connection or authenticat\$5) and wireless and proximity	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 09:48
S79	185	(rssi or signal strength or rss) near10 (threshold or predetermined) and mobile (unit or device) and (@ad<="20040315" or @pd<="20040315") and (connection or authenticat\$5) and wireless and proximity	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 10:25
S80	824	(rssi or signal strength or rss) near10 (threshold or predetermined) and mobile (unit or device) and (base (station or unit) or interface (station or unit)) and (@ad<="20040315" or @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 10:40
S81	425	(rssi or signal strength or rss) near10 (threshold or predetermined) and mobile (unit or device) near10 (base (station or unit) or interface (station or unit)) and (@ad<="20040315" or @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 10:42
S82	103	(rssi or signal strength or rss) near10 (threshold or predetermined) and mobile (unit or device) near10 (base (station or unit) or interface (station or unit)) and (headset or handset) and (@ad<= "20040315" or @pd<= "20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 10:43
S83	37	(rssi or signal strength or rss) near10 (threshold or predetermined) and mobile (unit or device) near10 (base (station or unit) or interface (station or unit)) and (headset or handset) and (@ad<= "20040315" or @pd<= "20040315") not hand \$off	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 10:51

S84	28	(rssi or signal strength or rss) near10 (threshold or predetermined) and bluetooth and (headset or handset) and (@ad<="20040315" or @pd<="20040315") not hand \$off	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 10:57
S85	13	(rssi or signal strength or rss) near10 (threshold or predetermined) near10 parameter and (headset or handset) and (@ad<="20040315" or @pd<="20040315") not hand \$off	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 11:05
S86	3	(rssi or signal strength or rss) near10 (threshold or predetermined) same wireless connection and (headset or handset) and (@ad<="20040315" or @pd<="20040315") not hand \$off	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 13:13
S87	3	(rssi or signal strength or rss) near10 (threshold or predetermined) same wireless connection and mobile (device or unit) and (@ad<="20040315") or @pd<="20040315") not hand \$off	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 13:17
S88	41	(rssi or signal strength or rss) near10 (threshold or predetermined) and wireless connection and mobile (device or unit) and (@ad<="20040315" or @pd<="20040315") not hand \$off	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 13:18
S89	31		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 13:22
S90	3985	infrared and (headset or handset) and (@ad<="20040315" or @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 17:46
S91	916	infrared and bluetooth and (headset or handset) and (@ad<="20040315" or @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 17:51

S92	423	infrared near10 (headset or handset) and (@ad<="20040315" or @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 17:51
S93	225	infrared near10 (headset or handset) and wireless and (@ad<="20040315" or @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 17:54
S94	33	video signal near10 (headset or handset) and wireless and (@ad<="20040315" or @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 18:21
\$95	1	morse code near10 (headset or handset) and wireless and (@ad<="20040315" or @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 18:28
596	1	(visual or video or visible) (pattern) near10 (headset or handset) and wireless and (@ad<="20040315" or @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 18:29
397	45	(visual or video or visible) (pattern) and (headset or handset) and (@ad<="20040315" or @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 18:30
S98	356	visible light and (headset or handset) and (@ad<="20040315" or @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 18:36
\$99	12	visible light near10 (headset or handset) and (@ad<="20040315" or @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/29 18:36
S100	5	"6507734"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/30 14:59

S101	12	"6473613"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/30 15:22
S102	323	voice recognition near10 display near10 (command or configur* or instruction or information) and (@ad<="20040315" or @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/30 16:20
S103	236	(speech or voice) recognition near10 display near10 (command) and (@ad<="20040315" or @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/30 16:26
S104	0	(speech or voice) recognition near10 display near10 configur* 7 and (@ad<="20040315" or @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/30 16:27
S105	92	(speech or voice) recognition near10 display near10 instruction and (@ad<="20040315" or @pd<="20040315")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/30 16:27
S106	5522	color same font same size and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/28 15:13
S107	598	color same font same size and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312") and "709". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/28 15:13
S108	349	color same font same size and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312" or @prad<="20040312") and "709". clas. and (email or e mail or e \$mail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/28 15:15

S109	7	color same font same size and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312" or @prad<="20040312") and "709". clas. and junk with (email or e mail or e\$mail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/28 15:21
S110	2	"20060167992"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/28 15:23
S111	402	(·	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/28 15:24
S112	34	visual indication same color same font same size and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/28 15:25

10/30/2008 5:28:36 PM

C:\ Documents and Settings\ kmai2\ My Documents\ EAST\ Workspaces\ 10799992.wsp